

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20050010593").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 08:58
S2	4814	(automatic or predict\$3) same (file or e\$mail) same storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:07
S3	531	(automatic or predict\$3) same (file or e\$mail) same storage same identifi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:08
S4	249	(automatic or predict\$3) same ((file or e\$mail) near8 storage) same identifi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:09
S5	34	((automatic or predict\$3) near8 ((file or e\$mail) near8 storage)) same identifi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:21
S7	916	((automatic or predict\$3 or redirect\$3) near8 ((file or e\$mail) near8 storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:22
S8	1327	((automatic or predict\$3 or redirect\$3) near8 ((file or e\$mail) near4 storage or folder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:22
S9	947	((automatic or predict\$3 or redirect\$3) near4 ((file or e\$mail) near4 storage or folder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:23

S10	114	((automatic or predict\$3 or redirect\$3) near4 ((file or e\$mail) near4 storage or folder)) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:24
S11	59	((automatic or predict\$3 or redirect\$3) near4 ((file or e\$mail) near4 storage or folder)) and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 13:27
S12	34	((automatic or predict\$3 or redirect\$3) near4 ((file or e\$mail) near4 storage or folder)) and "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 12:45
S13	22	((automatic or predict\$3 or redirect\$3) near4 ((file or e\$mail) near4 storage or folder)) and "705"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 11:24
S14	92	((automatic or predict\$3 or redirect\$3) near4 ((file or e\$mail) near4 storage or folder)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:14
S15	24	((automatic or predict\$3 or redirect\$3) near4 ((file or e\$mail) near4 storage or folder)) and (document\$5 near2 management near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 13:27
S16	6298	(file or document) near2 (stor\$3 or retrieve) same index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:15
S17	405	(file or document) near2 (stor\$3 or retrieve) same (location near5 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:16

S18	199	(file or document) near2 (stor\$3 or retrieve) same (location near5 index)and identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:33
S19	277	(search or query) near3 storage near2 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:34
S20	84	stor\$3 near5 pre-defined near2 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:54
S21	1367	content near2 stor\$4 same rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:55
S22	206	context near2 stor\$4 same rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 16:55
S23	54	context near2 stor\$4 near8 rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 17:06
S24	1843	(file or document) near2 stor\$4 near8 (rule or mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 17:07
S25	832	(file or document) near2 stor\$4 near2 (rule or mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 17:07

S26	529	(file or document) near2 stor\$4 near2 (rule or mapping) and automatic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 17:07
S27	55	(file or document) near2 stor\$4 near2 (rule or mapping) same automatic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 17:07
S28	38	(stor\$4 or sav\$3)near2 (file or document) near2 based near2 type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 17:25
S29	4	("5731813" "5771384" "5832287" "5936624").PN. OR ("6466238"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/27 17:48
S32	268	directory near2 index same (search or query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 09:00
S33	106	directory near2 index near8 (search or query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 09:55
S34	113	(search\$3 or query\$3)near4 director\$3 near2 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 09:56
S35	43	(search\$3 or query\$3)near4 director\$3 near2 index and default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 09:56
S36	43	(search\$3 or query\$3)near4 director\$3 near2 index and default and (creat\$3 or add\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 10:39

S38	170	(search\$3 or query\$3)near4 director\$3 same index and default and (creat\$3 or add\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 10:43
S39	12	(search\$3 or query\$3)near4 director\$3 same index and (default near4 director\$3) and (creat\$3 or add\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 10:40
S40	2	("20010034795").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:41
S43	14	((("20010034795") or ("5983318") or ("6415280") or ("20020138251") or ("5471677") or ("6330610") or ("6404925")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 16:15
S44	4	((("6636259") or ("6571246")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 16:16
S45	8	auto near2 fil\$3 near2 folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 08:59
S46	41	(auto or automatic) near2 fil\$3 near2 folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 12:55
S47	11	query near3 sub\$query same unique	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 12:56

S51	177	b\$tree near2 search\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 13:51
S52	4	b\$tree near2 search\$3 same director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 13:46
S53	71	b\$tree near5 search\$3 and director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 13:54
S54	38	b\$tree near5 search\$3 and director\$3 and leaf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:20
S55	43985	(storage or memory or cache) with index\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:21
S56	2819421	(index\$4 or (unique near ("ID" or identif\$7)) with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:22
S57	43985	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:23
S58	472	S57 and ((query\$4 or search\$4 or retriev\$4) with next with ("ID" or identif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:24

S59	34	S58 and (loop\$4 with (search\$4 or query or retriev\$4) with ("ID" or identif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:41
S60	71	S57 and (loop\$4 with (search\$4 or query or retriev\$4) with ("ID" or identif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:50
S61	137	loop\$4 same (search\$4 or query) same unique same identif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:51
S62	96	loop\$4 same (search\$4 or query) same unique same identif\$4 and (storage or save)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:27
S63	200	(loop\$4 or repeat\$3) same (search\$4 or query) same (unique with ("ID" or identif\$4)) and (storage or save)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:31
S64	58	(loop\$4 or repeat\$3) same (search\$4 or query) same (unique with ("ID" or identif\$4)) and (storage or save) and attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:01
S65	4	(loop\$4 or repeat\$3) same (search\$4 or query) same (unique with ("ID" or identif\$4)) and (storage or save) and (meta\$data with attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:32
S66	17475	(retriev\$4 or search or query) with ("ID" or identif\$7) and (index\$3 same ("ID" or identif\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:03

S67	48746	(mark\$3 or flag\$4 or tag\$4) near2 (entr\$3 or row\$1 or record\$3 or tuple\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:07
S68	8739	(mark\$3 or flag\$4 or tag\$4) near2 (entr\$3 or row\$1 or record\$3 or tuple\$1) same (next or subsequent or loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:25
S69	5296	S68 and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:23
S70	60	S68 and storage and (next near2 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:10
S71	2808	S68 and storage and (query or search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:23
S72	549	(mark\$3 or flag\$4 or tag\$4) near2 (entr\$3 or row\$1 or record\$3 or tuple\$1) same (next or subsequent or loop) same (query or search)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:25
S73	42	(mark\$3 or flag\$4 or tag\$4) near2 (entr\$3 or row\$1 or record\$3 or tuple\$1) same (next or subsequent or loop) same ((query or search or retrieve) with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 17:40
S74	6017	(query or search\$3 or retriev\$3) same ((marked or tag\$4 or flag\$4) with (record\$1 or row\$1 or entr\$4 or tuple\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/12/29 17:45
S75	989	(query or search\$3 or retriev\$3) same ((marked or tag\$4 or flag\$4) with (record\$1 or row\$1 or entr\$4 or tuple\$1)) same (id\$1 or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/12/29 17:45

S76	288	(query or search\$3 or retriev\$3) same ((marked or tag\$4 or flag\$4) with (record\$1 or row\$1 or entr\$4 or tuple\$1)) same (id\$1 or identifier) same (next or loop or subsequent)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/12/29 17:46
S77	80	(query or search\$3 or retriev\$3) same ((marked or tag\$4 or flag\$4) with (record\$1 or row\$1 or entr\$4 or tuple\$1)) same (id\$1 or identifier) same (next or loop or subsequent) same match\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/12/29 18:09
S78	964	(subquery or search\$3 or retriev\$3) with ((marked or tag\$4 or flag\$4) near2 (record\$1 or row\$1 or entr\$4 or tuple\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/12/29 18:10
S79	1	(sub\$query) with ((marked or tag\$4 or flag\$4) near2 (record\$1 or row\$1 or entr\$4 or tuple\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/12/29 18:13
S80	45	(sub\$query or join\$3) with ((marked or tag\$4 or flag\$4) near2 (record\$1 or row\$1 or entr\$4 or tuple\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 09:33
S81	4767	(search or query or locat\$3) same (memory or storage or cache) same unique same (parameter\$1 or identification or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 09:35
S82	1638	((search or query or locat\$3) near4 (memory or storage or cache)) same unique same (parameter\$1 or identification or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 09:35
S83	399	((search or query or locat\$3) near4 (memory or storage or cache)) same unique same (parameter\$1 or identification or ID) same (multiple or second)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 09:36
S84	35	((search or query or locat\$3) near4 (memory or storage or cache)) same unique same ((parameter\$1 or identification or ID) near5 (multiple or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 10:05
S85	839	(search or query or locat\$3) near4 document\$5 same version	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 10:05

S86	55	(search or query or locat\$3) near4 document\$5 same version same unique	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 10:41
S87	22	("5179649" "5202982" "5339412" "5428727" "5448375" "5451760" "5751921" "5828783" "5838819" "5848202" "5893908" "5907835" "6138129" "6192165" "6226422" "6473203" "6577409" "6602298" "6646765" "6738780" "6741743" "6820237").PN. OR ("6885481").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 10:22
S88	22	("5179649" "5202982" "5339412" "5428727" "5448375" "5451760" "5751921" "5828783" "5838819" "5848202" "5893908" "5907835" "6138129" "6192165" "6226422" "6473203" "6577409" "6602298" "6646765" "6738780" "6741743" "6820237").PN. OR ("6885481").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 10:39
S89	140	(search or query or locat\$3) near4 (document\$5 or file\$1 or record)same (alternative or refine\$3) same unique	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 11:07
S90	1	(search or query or locat\$3) near4 (document\$5 or file\$1 or record)same ((alternative or refine\$3) near4 (term\$1 or parameter\$1 or keyword\$1)) same unique	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 11:12
S91	102	(search or query or locat\$3) near4 (document\$5 or file\$1 or record)same ((alternative or refine\$3) near4 (term\$1 or parameter\$1 or keyword\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/01/04 11:12